

**IOWA DEPARTMENT OF TRANSPORTATION**

To Office Bridges and Structures Date November 1, 2011  
Attention All Employees Ref No. 521.1  
From Gary Novey  
Office Bridges and Structures  
Subject Revision of the English Expansion Device Standards 1026s1 and 1026s2.  
(CADD M0227)

Electronic copies are available in the following Office of Bridges and Structures standard directory **W:\Highway\Bridge\Standards\Bridges** and on the Internet:

<http://www.iowadot.gov/bridge/standard.htm>

The revised standards are located on the Bridge Web site.

Standards 1026s1 and 1026s2 were revised to refer to I.M. 410 for repairing field welding of galvanized steel. The new note reads:

**GALVANIZED COATING DAMAGED BY FIELD WELDING SHALL BE REPAIRED IN ACCORDANCE WITH MATERIALS I.M. 410.**

- Standard 1026s1 has STAGE CONSTRUCTION NOTES located outside of the border sheet for available use when the steel extrusion is place in stages. The new note replaced the note dealing with field welding galvanized steel.
- Standard 1026s2 has STEEL EXTRUSION NOTES and the note dealing with field welding galvanized steel was replaced with the new note.

For any questions, please check with Stuart Nielsen or Thayne Sorenson.

GAN/ssn