Captivate Settings

From the Home Screen click Internet Port Connection.

- Click Server / mountpt

Click the 'Server to use' to change or confirm the NTRIP settings and Source to select the mountpoint.

Confirm the NTRIP settings

To select the mountpoint from the Home Screen > Settings > Connections > Other Connections > All Other Connections

Select Control > Source > Select the mountpoint

Connection Settings

CS connections **GS connections**

RTK rover
Device Internet   Port GS Internet 1

GS internet
Device Cinterion PLS8   Port GS modem

NMEA 1
Device -   Port -

NMEA 2
Device -   Port -

Remote (OWI)
Device -   Port -

Fn   OK   Edit   Control   Page   Fn

Internet Port Connection

Internet port   **GS Internet 1**

Server to use   **IARTN**   >

NTRIP mountpoint   **MSM_IMAX**

Press 'Source' to get a list of mountpoints

OK   Source

NTRIP Source Table

RTCM3_MAX
Identifier RTCM3_MAX

RTCM3_IMAX
Identifier RTCM3_IMAX

RTCM3_NEAR
Identifier RTCM3_NEAR

CMRP_NEAR
Identifier CMRP_NEAR

CMRP_IMAX
Identifier CMRP_IMAX

MSM_IMAX
Identifier MSM_IMAX

Fn   OK   Info   Fn

From the Home Screen Click the Data Link icon and Start RTK stream