



**SPECIAL PROVISIONS  
FOR  
SANITARY SEWER SERVICE PIPE, 4 INCH**

**Linn County  
TAP-U-1187(799)--8I-57**

**Effective Date  
September 21, 2021**

**THE STANDARD SPECIFICATIONS, SERIES 2015, ARE AMENDED BY THE FOLLOWING MODIFICATIONS AND ADDITIONS. THESE ARE SPECIAL PROVISIONS AND THEY SHALL PREVAIL OVER THOSE PUBLISHED IN THE STANDARD SPECIFICATIONS.**

**157176.01 DESCRIPTION.**

Install/extend sanitary sewer service pipe in situations where connecting to existing service within the tabulated length from new main is not possible due to deterioration of existing service pipe.

**157176.02 MATERIALS.**

Apply Article 4149.02 of the Standard Specifications.

**157176.03 CONSTRUCTION.**

- A.** If connection of an existing sewer service to the proposed sewer main is not possible within 6 feet of the proposed main, notify the Engineer that sanitary sewer service pipe, 4 inch will need to be applied to pipe beyond 6 feet from the main.
- B.** Construct sanitary sewer service from 6 feet outside of the main to the nearest location on the existing service where a connection can be made. Connection to existing service shall be made with a flexible rubber adapter with a stainless steel shear ring.

**157176.04 METHOD OF MEASUREMENT.**

Each Sanitary Sewer Service Pipe, 4 Inch will be measured in linear feet along the centerline of the replacement pipe.

**157176.05 BASIS OF PAYMENT.**

Payment will be made at the unit price per linear foot of Sanitary Sewer Service Pipe, 4 Inch. Unit price includes, but is not limited to, furnishing and installing replacement pipe and connections.